

Order no.: 120907

Trolley for oxygen canisters

Design

 staged

 without stages


Specification

Length 800 mm	Width 610 mm	Height 984 mm	Castor diameter 125 mm	Braking system Foot-operated parking brake
Castor type 2 swivel castors/2 fixed castors	Weight 26.5 kg	Business division MUNK Rettungstechnik	Article no. 120907	

Facts

- Trolley for oxygen canisters
- For vertical storage of up to twelve oxygen canisters
6 l steel or 6.8 l composite
- Storage shelves made of robust hard foam panels
- For easy filling, the oxygen canisters stored in the middle are located on a level approx. 120 mm higher
- Further sizes and versions available on request
- Scope of delivery without equipment items
- Series production quality equipment
- Stable and durable construction made of high-strength aluminium sections

- Ergonomic operation via continuous handle bar with non-slip cold-insulating SoftGrip coating
- Two ball bearing castors Ø 125 mm with wheel slewing arrestor for optimum handling
- Two ball bearing fixed castors Ø 125 mm
- Foot-operated parking brake on both castors

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria

